

# TOSHIBA

## **e-STUDIO™ 5018A series**

- > Black & White Multifunction Printer
- > Up to 50 PPM
- > Medium/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Customizable UI



# CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

## Technology for every workplace; delivering advanced functionality, ease of use, and peace of mind.

Every business is unique. That's why Toshiba offers the latest customizable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximize your productivity.

Toshiba's latest series delivers on our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

- > Speeds of 35, 45 and 50 PPM
- > High-volume and high toner yields
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor



## Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customizable to meet your needs, enhancing the sleek and modern look of the complete series.

## Produce more with less effort.

The Toshiba e-STUDIO05018A Series is designed to put a fast, efficient, secure MFP in the hands of workgroups looking to improve productivity.

- > Impressive resolution providing 2,400 dpi (Equivalence) x 600 dpi (with B/W smoothing)
- > A time-saving, high-speed, high-capacity 300-sheet Dual-Scan Document Feeder
- > A high toner yield minimizes end-user intervention and enables long uninterrupted runs

## Elevate streamlines complicated multi-step processes into automated, one-touch functions.

We know you have work to do and at Toshiba we've introduced a new concept designed to make your job easier and more productive by personalizing the MFP user interface around your specific business processes.

Elevate enables customized and automated workflow presenting the user with convenient one-touch functions addressing only the tasks they use most. This results in simple operation and improved efficiency leading to an overall cost savings. Let Toshiba Elevate your productivity.

- > Customize and automate workflows specifically around your business processes
- > Boost productivity by reducing manual and paper intensive processes in the office
- > Personalize the user interface by department to deliver the utmost efficiency
- > Cost savings and greater efficiency through improved workflow and productivity
- > Clear away clutter and confusion on home screen by presenting only the tasks used most



# A COMPACT DESIGN THAT LEAVES NOTHING OUT.

Workgroups can now get a lot more done using fewer resources and less space. The compact design of the e-STUDIO5018A Series is packed with useful functions, lots of options and elegant style.

*Advanced e-BRIDGE Next Technology* enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

*Auto Skew Correction* ensures your scanned documents, using any of the document feeder options are reproduced accurately.

*First Copy Out Time* clocks in at blazing fast speeds of up to 3.6 seconds.

*Embedded Optical Character Recognition (OCR)* simplifies the creation of searchable PDFs or editable document formats such as Microsoft® Word™.

*Job Reservation* will queue up multiple copy or print jobs so users can send jobs whenever.

*Saddle/Fold Capabilities* offer saddle-stitch finishing and the ability to fold without stapling.

*Notifications Feature* takes the hassle out of checking for depleted supplies or maintenance needs.

*Service Module Design* significantly reduces the cost and time spent servicing the MFP.

*Print Around* eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

*Paper Volume Indicators* on the front panel make it easy to see the paper sizes, types and levels in each cassette.

*Print-from USB* lets you print PDF and JPG files straight from your USB drive and the MFP will scale document to fit the available paper size if necessary.

*e-BRIDGE Plus for USB Storage* is great for capturing a file quickly when you're on the go.

*Scan Preview* allows you to review your scanned documents digitally, even rotate and change pages prior to sending to file or email.

*Fax Preview* saves valuable resources by letting you view received faxes prior to printing them.





## TOSHIBA TECHNOLOGY AT WORK FOR YOU.

At Toshiba, we work hard to make your work easier, and more productive. In fact, we haven't even mentioned all of our impressive features, like PCL 6, PS3, XPS support and Universal Drivers that offer connectivity to Windows®, Macintosh® and more. Then there are driver plug-ins such as e-BRIDGE Job Point that splits large jobs over multiple machines, e-BRIDGE Job Replicator for the creation of multi-part forms and documents, e-BRIDGE Job Separator for batch printing with any app, and e-BRIDGE Job Build to print different documents together as a single job.

### Security for Your Business

We're constantly looking for new ways to make your work, and ours, safer, and more secure.

- > A 320GB Self-Encrypting Drive (SED) with Automatic Data Invalidation (ADI) & Data Overwrite capability provides top level security
- > Available FIPS 140-2 Validated SED exceeds government requirements
- > IPsec is available to securely encrypt data sent to and from the MFP

Toshiba's current e-BRIDGE multi-function printers are compatible with Microsoft Universal Print via connector which enable customers to fully manage their print environment from Microsoft Azure. In addition, our e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ offer scan and print solutions to the popular cloud storage destinations.

\*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

\*\*Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online.

### Responsibility for the Planet

Innovation that is truly innovative makes certain that our environment is part of the equation, which is why we're always looking for ways to be even more environmentally responsible.

- > ENERGY STAR® V3.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost
- > e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use.



# THE FEATURES YOU EXPECT, AND MORE.

## 1 Document Feeder Options

|          |  |
|----------|--|
| MR4000B  | Dual-Scan Document Feeder (DSDF)           |
| MR3031B  | Reversing Automatic Document Feeder (RADF) |
| KA5005PC | Platen Cover                               |

## 2 Accessory Tray & Keyboard Options

|        |                       |
|--------|-----------------------|
| GR1330 | Accessory Tray        |
| GR9000 | Bluetooth Keyboard    |
| GR1340 | 10-Key Numeric Keypad |

## 3 Finishing Options

|         |                                 |
|---------|---------------------------------|
| MJ1042B | 50-Sheet Inner Finisher         |
| MJ1109B | 50-Sheet Console Finisher       |
| MJ1110B | 50-Sheet Saddle-Stitch Finisher |
| MJ5015  | Job Separator                   |

## 4 Additional Paper Options

|         |                                   |
|---------|-----------------------------------|
| KD1058B | Paper Feed Pedestal               |
| KD1059B | 2,000-Sheet Large Capacity Feeder |
| MY1048B | Additional Drawer Module for PFP  |
| MY1049B | Envelope Cassette                 |

## Additional Option Highlights

- > Embedded OCR Enabler
- > Multi-Station Print Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Hidden Card Reader Pocket



The e-STUDIO5018A Series includes all the features you would expect from a top-quality MFP, along with a few new ones.

### In Control with the Greatest of Ease

A larger tiltable, touch swipe 10.1" color panel works like a tablet or smartphone interface so you can find whatever you need by just swiping your finger.

### Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, up to 4GB RAM, and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

### Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

### Special Envelope Cassette

Keep your envelopes firmly in place for accurate printing from start to finish with an envelope cassette that holds up to 60 sheets at a time.

### Add What You Need, All at Once

1,200 sheet paper capacity comes standard, but if you need more, just add two optional 550-sheet cassettes or a tandem LCF for 2,000 LT only for a total capacity of 3,200.

### High Volume, High Toner Yield

The monthly copy volume reaches up to 150,000 and an equally impressive toner yield tops out at 43,900 at 5% coverage.

### Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler, now with support of up to 50 e-STUDIO devices, allows users to send print jobs from their desktop and retrieve them by simply swiping their card and authenticating at any convenient MFP.

# e-STUDIO™ 3518A/4518A/5018A

## Main Specifications

|                                 |   |
|---------------------------------|---|
| <b>Copy System</b>              | Indirect Electrostatic Photographic Method/OPC/Laser Printing/<br>Heat Roller Fusing  |
| <b>Display</b>                  | 10.1" Color WSVGA Touch Screen Tilting Display  |
| <b>Copy Speed</b>               | 35/45/50 PPM (LT)   |
| <b>First Copy Out</b>           | 3.6/3.6/3.6 Seconds   |
| <b>Warm-Up Time</b>             | Approx. 20 Seconds  |
| <b>Copy Resolution</b>          | 2,400 x 600 dpi with Smoothing  |
| <b>Stack Feed Bypass</b>        | 3.9" x 5.8" to LD, Envelope   |
| <b>Multiple Copying</b>         | Up to 999 Copies  |
| <b>Paper Capacity</b>           | Standard 1,200 Sheets/Max. 3,200 Sheets   |
| <b>Original Feed</b>            | Optional 300-Sheet DSDf or 100-Sheet RADf   |
| <b>Scan Speed &amp; Weights</b> | DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color),<br>Simplex: 9.3-110 lb Bond, Duplex: 9.3-110 lb Bond<br>RADf Scan: Up to 73 IPM (Monochrome or Color); Simplex: 9.3-41.8 lb Bond,<br>Duplex: 13.3-41.8 lb Bond  |
| <b>Max. Original Size</b>       | LD  |
| <b>Paper Feed Sizes</b>         | Drawer 1: 550 Sheets-ST-R to LD<br>Drawer 2: 550 Sheets-ST-R to LD<br>Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to 11" x 17"<br>Opt. 550-Sheet Paper Feed Pedestal-ST-R to 11" x 17"<br>Opt. 550-Sheet Drawer for PFP-ST-R to 11" x 17"<br>Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-ST-R to LG<br>Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-LT Only<br>Standard: 550 Sheets x 2-16 lb Bond-140 lb Index<br>Stack Feed Bypass: 100 Sheets-14 lb Bond-140 lb Index<br>Opt. 550-Sheet Paper Feed Pedestal-16 lb Bond-140 lb Index<br>Opt. 550-Sheet Drawer for PFP-16 lb Bond-140 lb Index<br>Opt. Envelope Cassette for PFP-16 lb Bond-140 lb Index<br>Opt. 2,000-Sheet Tandem LCF (Pedestal Type), 17-28 lb Bond<br>Standard Automatic Duplex Unit (16 lb Bond-140 lb Index) |
| <b>Paper Weights</b>            | 25% to 400%   |
| <b>Duplex</b>                   | Max. 125K/150K/150K Month   |
| <b>Reproduction Ratio</b>       | Approx. 125.2 lb  |
| <b>Max Duty Cycle</b>           | 23" (W) x 23" (D) x 31" (H)   |
| <b>Weight</b>                   | 43.9K @ 5%  |
| <b>Approx. Dimensions</b>       | 120 Volts, 50/60 Hz, 12 Amps  |
| <b>Toner Yield</b>              | Maximum 1.5kW (120V)  |
| <b>Power Source</b>             | Intel Atom™ 1.33GHz (Dual-Core)   |
| <b>Power Consumption</b>        | 4GB   |
| <b>CPU</b>                      | 320GB Self-Encrypting Drive FIPS 140-2 Validated (Opt.)   |
| <b>Memory</b>                   |   |
| <b>Hard Disk Drive</b>          |   |

## e-BRIDGE Next Print Specifications

|                               |   |
|-------------------------------|---|
| <b>PDL</b>                    | PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG  |
| <b>Print Speed</b>            | 35/45/50 Pages Per Minute (LT)  |
| <b>Print Resolution</b>       | 600 x 600 dpi (1 bit) or 2,400 (Equivalence) x 600 dpi (with Smoothing) (ALL PDL), 1,200 x 1,200 dpi (2 bit) or 3,600 x 1,200 dpi (with Smoothing) PS3 Only   |
| <b>Operating Systems</b>      | Windows® 8.1.10, Windows Server® 2012/R2, Windows Server® 2016, Macintosh® (macOS x 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux®  |
| <b>Network Protocols</b>      | TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh® Environments  |
| <b>Printing Protocols</b>     | SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk, Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP  |
| <b>Print Drivers</b>          | Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13, 11.4 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed), Optional 802.11b/g/n, Wireless LAN, Optional Bluetooth |
| <b>Interface</b>              |   |
| <b>Wireless Device</b>        | AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)   |
| <b>Device Management</b>      | TopAccess, EFMS 6.30 (e-BRIDGE Fleet Management Software)   |
| <b>Account Control</b>        | Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function  |
| <b>Accessibility Features</b> | Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts  |
| <b>Security Features</b>      | User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC   |



Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL /TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certification (ISO/IEC15408)\*, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, NFC Authentication  
\*Conformance with HCD-PPv1.0 in High Security Mode.  
ENERGY STAR® (V3.0), EPEAT Gold, Californian Proposition 65  
WHQL (Windows® 8, 8.1, 10, 2016, 2019 R2), Novell®, Citrix®, SAP, AirPrint® and Mopria®

## Environmental Stds. Certification

## Scan Specifications

|                          |   |
|--------------------------|---|
| <b>Scan Speed</b>        | DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)<br>RADf Scan: Up to 73 IPM (Monochrome or Color)   |
| <b>Scan Modes</b>        | Standard: Full Color, Auto Color, Monochrome, Grayscale   |
| <b>Scan Resolution</b>   | 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi  |
| <b>File Formats</b>      | Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)<br>Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) |
| <b>Image Compression</b> | Color/Grayscale: JPEG (High, Middle, Low)   |

## Facsimile Specifications

|                            |  |
|----------------------------|--|
| <b>Compatibility</b>       | Super G3   |
| <b>Data Compression</b>    | MH/MR/MMR/JBIG   |
| <b>Transmission Speed</b>  | Approx. 3 Seconds Per Page   |
| <b>Fax Modem Speed</b>     | Up to 33.6 Kbps  |
| <b>Memory Transmission</b> | 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations /Job |
| <b>Scan Speed</b>          | 0.7 Seconds Per Page, Maximum 73 IPM                               |

## e-Filing Specifications

|                          |   |
|--------------------------|---|
| <b>Operation Method</b>  | Color Touch Screen Control Panel or Client PC                             |
| <b>Number of Boxes</b>   | 1 Public Box, 200 Private User Boxes                                      |
| <b>Capacity of Boxes</b> | 100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document |

## Accessories (Options)

|   |            |  |        |           |
|---|------------|--|--------|-----------|
| <b>Platen &amp; Document Feeder Options</b> |            | <b>Accessory Tray</b>                        |        | GR1330    |
| DSDf  | MR4000B    | Panel 10-Key Option                          |        | GR1340    |
| RADF  | MR3031B    | Card Reader Holder                           |        | GR1320    |
| Platen Cover                                | KA5005PC   | FIPS HDD Option                              |        | GE1230    |
|   |            | USB Hub                                      |        | GR1310    |
|   |            | Meta Scan Enabler                            |        | GS1010    |
| <b>Additional Paper Options</b>             |            | IPsec Enabler                                |        | GP1080    |
| Paper Feed Pedestal                         | KD1058B    | Unicode Font Enabler                         |        | GS1007    |
| Drawer Module                               | MY1048B    | Embedded OCR Enabler                         |        |           |
| Envelope Cassette Option                    | MY1049B    | Per Seat License                             | GS1080 | NODE      |
| Large Capacity Feeder                       | KD1059B    | Multi-Station Print Enabler                  |        |           |
|   |            | Per Seat License                             | GS1090 | NODE      |
| <b>Finishing Options</b>                    |            | e-BRIDGE Plus for Onedrive for Business V3.0 |        | GB2300    |
| Inner Finisher                              | MJ1042B    | e-BRIDGE Plus for Sharepoint Online V3.0     |        | GB2310    |
| 50-Sheets Staple Finisher                   | MJ1109B    | e-BRIDGE Plus for Exchange Online V3.0       |        | GB2320    |
| Saddle-Stitch Finisher                      | MJ1110B    | Monotype Font Option                         |        | GB2050    |
| Hole Punch Unit for MJ1042                  | MJ6011     |  |        |           |
| Hole Punch Unit for MJ1109/MJ1110           | MJ6105     |  |        |           |
| Bridge Kit                                  | KN5005     |  |        |           |
| Job Separator                               |            |  |        |           |
| eS3518A/4518A/5018A                         | MJ5015     |  |        |           |
| <b>Connectivity/Security Options</b>        |            | <b>Miscellaneous Options</b>                 |        |           |
| FAX Unit/2nd Line for FAX Unit              | GD1370N    | Stand  |        | STAND5005 |
| FAX Over IP License Key                     | GS1100NODE | Accessible Arm                               |        | KK2550    |
| Wireless LAN/Bluetooth                      | GN4020     | Work Tray                                    |        | KK5005    |
| Bluetooth Keyboard                          | GR9000     | Harness Kit for Coin Controller              |        | GQ1280    |
|   |            | Manual Pocket                                |        | KK5008    |

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

### Corporate Office

25530 Commercentre Drive, Lake Forest, CA 92630  
Tel: 949-462-6000

### East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054  
Tel: 973-316-2700

### Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631  
Tel: 773-380-6000

### South

2037 Bakers Mill Rd., Dacula, GA 30019  
Tel: 678-546-9385

### West Coast

25530 Commercentre Drive, Lake Forest, CA 92630  
Tel: 949-462-6000

### Web Site

www.business.toshiba.com