# **E-STUDIO**™5506AC **E-STUDIO**™6506AC **E-STUDIO**™7506AC

- > Color Multifunction Printer
- > Up to 75 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready





## CONNECT. INTEGRATE. SIMPLIFY.

# Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > Speeds of 55, 65 & 75 PPM Color
- > High-resolution and high-volume color
- > High-volume black & white
- > Advanced e-BRIDGE Next technology

### as well as black and white up to 85 pages per minute.

**Sleeker, faster, and more versatile than ever.**This year, Toshiba is introducing a new, sleek lineup that's as

look houses the latest innovative technology, like brilliant.

impressive on the outside as it is on the inside. Its ultra-modern

multi-beam laser color delivered at up to 75 pages per minute

- 1,200 dpi x 1,200 dpi, 2bit color (PostScript 3) for genuine laser quality
  600 dpi x 600 dpi, 5bit color in image
- smoothing mode, color mode
- > e-BRIDGE Color Profile Tool provides accurate Pantone® or unique color matching options
- New high-speed, high-capacity Dual-Scan Document Feeder
- > Up to 600K maximum monthly copy volume



INNOVATIVE FEATURES, VERSATILE CONNECTIVITY.

The Toshiba e-STUDIO7506AC series helps workgroups connect, integrate and simplify while improving efficiency, productivity and the professionalism of presentations.

Higher Robust Speeds include 55/65/75 brilliant color pages per minute and 65/75/85 monochrome pages per minute, respectively.

Fast Dual-Scan Document Feeder handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a full 240 images per minute (IPM).

Fast First Copy Out Times include 6.4/6.4/5.4 seconds for full-color printing and 5.2/4.5/4.1 seconds (respectively) for black and white printing.

9" Tablet-Style Touch Screen works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

Banner Printing produces impressive signage as large as 12" x 47" using our unique AquaAce media.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size, type or, in some cases, color toner.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the ability to fold without stapling.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

#### Advanced e-BRIDGE Next Technology

enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Help Button provides instant, thorough explanations straight from the manual to help as needed.













# TOSHIBA INNOVATION AT ITS FINEST.

When it comes to seamless workflow and simplified integration, the e-STUDIO7506AC series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions. A universal driver along with PCL 6, PS3, and XPS support provide fast and easy connectivity to Windows®, Macintosh® and more.

AirPrint and Mopria™ support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture application provides additional capabilities including the ability to scan from the MFP back to your mobile device. Also, a Dual-Line Fax option can handle heavy fax volumes with ease.

#### **Cloud Support**

New Scan-to-Cloud and Cloud Print capabilities increase productivity by allowing users to access, store and print documents remotely from the MFP. Whether it's Dropbox, OneDrive or Google Drive, the new e-STUDIO7506AC series makes scanning to these cloud-based locations a breeze, while embedded support for Google Cloud Print enables easy printing to the MFP from anywhere you may be.

#### **Advanced Security**

Even more important than functionality is the security offered by the e-STUDIO7506AC series. Such technological advancements include:

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- FIPS 140-2 Validated SED meets and exceeds government requirements
- IPsec is available to securely encrypt data sent to and from the MFP

#### **Environmental Responsibility**

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- RoHS compliance, the use of recycled plastics, and Low-Power (0.6W) Super Sleep Mode work to help the environment
- EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- Energy Star V2.0 meets the latest, more stringent requirements



# IMPRESSIVE EVEN BEFORE YOU TURN IT ON.

#### 1 Accessory Tray & Keyboard Options

GR1250 – Accessory Tray GR9000 – Bluetooth Keyboard GR1260 – 10-Key Numeric Keypad

#### 2 Finishing Options

MJ1111 – 50-Sheet Console Finisher MJ1112 – 50-Sheet Saddle Stitch Finisher MJ6106 – Hole Punch Unit KA6551 – Side Exit Tray

#### 3 Connectivity Options

GD1370 – Fax Unit/2nd Line for Fax Unit GN4020 – Wireless LAN/Bluetooth Module

#### 4 Additional Paper Options

MP2502 - 2,500 Sheet Large Capacity Feeder

#### **Additional Option Highlights**

- > IPsec Security Enabler
- Multi-Station Print Enabler
- > Embedded OCR Enabler



Toshiba's e-STUDIO7506AC series offers the best of the best, enabling large workgroups to improve productivity and connectivity while simplifying the overall workflow.

#### Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

#### Bluetooth/WiFi Option

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the WiFi capability enables WiFi-Direct printing making it ideal for mobile users

#### **Volumes and Volumes**

A high monthly copy volume is 480K/540K/600K respectively. Impressive toner yields are 39,200 color and 106,600 black and white (each at 5%).

#### **Multi-Station Print Enabler**

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any available MFP by simply swiping their badge and authenticating at that device.

#### Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™ dual-core processor, 4GB RAM and a 320GB FIPS 140-2 Validated SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

## C-STUDIO 5506AC/6506AC/7506AC

#### Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/Laser Printing/

Heat Roller Fusing

Display 9" Color WVGA Touch Screen Tilting Display

Color: 55/65/75 PPM (LT), Monochrome: 65/75/85 PPM (LT) Color: 6.4/6.4/5.4, Monochrome: 5.2/4.5/4.1 Copy Speed First Copy Out

Warm-Up Time Approx. 20 Seconds

600 x 600 dpi Copy Resolution

3.9" x 5.8" to 13" x 19", 12" x 47" Banner, Envelope Stack Feed Bypass

**Multiple Copying** Up to 9,999 Copies

Paper Capacity 4-Drawer: 2,280 Sheets/Max. 4,780 Sheets Tandem Drawer: Standard 3,520 Sheets/Max. 6,020 Sheets

Standard 300-Sheet DSDF Original Feed

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color), Scan Speed & Weights

Simplex: 9.3-110 lb Index, Duplex: 9.3-110 lb Index

Max. Original Size ΙD

Paper Feed Sizes Drawers: 540 Sheets-ST-R to 12" x 18" Integral Tandem LCF 1,160 x 2 LT-Only

Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Banner

2,500-Sheet Ext. LCF LT-Only
4-Drawer: Standard 540 Sheets x 4-16 lb Bond-140 lb Index Paper Weights

Tandem LCF 1,160 Sheets x 2-16 lb Bond-140 lb Index Plus 540 Sheets x 2-16 lb Bond-140 lb Index

Stack Feed Bypass: 120 Sheets-16 lb Bond-110 lb Cover Opt. 2,500-Sheet Ext. LCF LT-Only -16 lb Bond-140 lb Index

Duplex Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)

Reproduction Ratio 25% to 400%

Max Duty Cycle Max. 480K/540K/600K Month (Color: 100%)

Weight Approx. 470 lb

37.6" (W) x 28.9" (D) x 48.3" (H) CMY: 39,200, K: 106,600 @ 5% Approx. Dimensions Toner Yield 120 Volts, 50/60 Hz, 16 Amps **Power Source Power Consumption** 

Maximum 2.0kW (120V) CPU Intel Atom™ 1.75 GHz (Dual-Core)

Memory

320GB Self-Encrypting Drive FIPS 140-2 Validated Hard Disk Drive

#### e-BRIDGE Next Print Specifications

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG Color: 55/65/75 PPM (LT), Monochrome: 65/75/85 PPM (LT) **Print Speed** 

Print Resolution 600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (Color/2 bit) or 3,600 x 1,200 dpi

(BW/with Smoothing) PS3 Only

Windows® Vista, Windows Server® 2008/R2, Windows® 7, 8, 8.1, 10, **Operating Systems** Windows Server® 2012/R2, Macintosh® (Mac OS X 10.6, 10.7, 10.8, 10.9,

10.10, 10.11), Unix®, Linux®

TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments. **Network Protocols** 

EtherTalk® for Macintosh Environments **Printing Protocols** 

SMB, LPR/LPD, IPP (Ver.1.1) w/Authentication, AppleTalk PAP or EtherTalk Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP Windows® Vista SP2 (32-bit, 64-bit), Windows Server® 2008 SP2 (32-bit, 64-bit) **Print Drivers** 

bit), Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows 8/8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows® 10 (32-bit, 64-bit), Mac OS® X 10.6.8, 10.7.4, 10.8, 10.9, 10.10, 10.11

RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional

Interface

802.11b/g/n, Wireless LAN, Optional Bluetooth

Wireless Device AirPrint™, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android

(Available via Apple App Store or Google Play)
TopAccess, EFMS 6.2 (e-BRIDGE Fleet Management Software) **Device Management** 

Up to 10,000 users or 1,000 Departments Supports User Authentication **Account Control** (on Device), Login Name/Password (via Windows domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function

Accessibility Features Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen

Timeout and Audible Beep Message Alerts

**Security Features** 

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408 EAL3+)\*, IEEE2600.1, IEEE802.1X, Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log

Access Control for Job Log, Security Stamp
\*Compliant with IEEE2600.1 in High Security Mode.

Energy Star (V2.0), EPEAT Gold, RoHS **Environmental Stds.** 

WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP Certification

#### Scan Specifications

Scan Speed Scan Modes **Scan Resolution File Formats** 

Image Compression

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color) Standard: Full Color, Auto Color, Monochrome, Grayscale

600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable

PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.)

Color/Grayscale: JPEG (High, Middle, Low)

#### **Facsimile Specifications**

Compatibility Super G3

MH/MR/MMR/JBIG **Data Compression** Transmission Speed Approx. 3 Seconds Per Page

Fax Modem Speed Up to 33.6 Kbps

100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job Memory Transmission

Scan Speed 0.7 Seconds Per Page, Maximum 73 IPM

#### e-Filing Specifications

**Operation Method** Number of Boxes **Capacity of Boxes**  Color Touch Screen Control Panel or Client PC

1 Public Box, 200 Private User Boxes

100 Folders Per Box, 400 Documents Per Folder/Box,

200 Pages Per Document

#### Accessories (Options)

Additional Paper Options Large Capacity Feede MP2502 **Finishing Options** MJ1111 50-Sheet Staple Finisher Saddle-Stitch Finisher MJ1112 Hole Punch Unit for MJ1111/MJ1112 MJ6106 Side Exit Tray KA6551 Finisher Guide Rail KN1103

Connectivity/Security Options

FAX Unit/2nd Line for FAX Unit	GD1370
Wireless LAN/Bluetooth	GN4020
Hardcopy Security Printing	GP1190A
Bluetooth Keyboard	GR9000
Accessory Tray	GR1250
Panel 10-Key Option	GR1260
Card Reader Holder	GR1290
Meta Scan Enabler	GS1010
IPsec Enabler	GP1080
Unicode Font Enabler	GS1007

Embedded OCR Enabler Single License

GS1080 GS1085 Five Licenses Multi-Station Print Enabler Single License GS1090 Five Licenses GS1095 Advanced Scanning (ReRite) GB1280V8 SharePoint Connector GB1440 Exchange Connector GB1450

Google Drive Connector Miscellaneous Options

Accessible Arm KK2560 Harness Kit for Coin Controller GQ1280

GR1540

























Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/ network operating system. Product names may be trademarks of their respective companies. AirPrint and the AirPrint logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1.

© 2016 Toshiba America Business Solutions, Inc. Electronic Imaging Division Inv. Code 22306 5506AC/6506AC/7506AC Brochure 5K PG 6/16

Corporate Office

**East Coast** 

Midwest

South

West Coast

Web Site

9740 Irvine Blvd., Irvine, CA 92618 Tel: 949-462-6000 959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 973-316-2700 8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631

Tel: 773-380-6000

2037 Bakers Mill Rd., Dacula, GA 30019 Tel: 678-546-9385

9740 Irvine Blvd., Irvine, CA 92618 Tel: 949-462-6000 www.business.toshiba.com